



# GREEN FUEL MAX

## MATERIAL SAFETY DATA SHEET

### HAZARD CLASSIFICATION

**NOT CLASSIFIED AS HAZARDOUS ACCORDING TO THE CRITERIA OF WORKSAFE AUSTRALIA**

### IDENTIFICATION

#### RECOMMENDED USE:

Fuel additive for petrol fuels & diesel.

UN Number:	N/A
Dangerous Goods Class:	N/A
Subsidiary Risk:	N/A
Hazchem Code:	N/A
Packaging Group:	N/A
Poisons Schedule:	N/A

### PHYSICAL DESCRIPTION/PROPERTIES

Appearance:	Clear, green mobile liquid
Boiling Point (°C):	120°C
Vapour Pressure (mm of Hg @ 25°C):	2 mm Hg at 20°C
Specific Gravity:	0.9 – 1.0
Flammability & Explosive properties:	N/A
pH as is:	Neutral

### INGREDIENTS

Legend: low <10% medium 10-60% high >60%

Chemical Name	CAS No.	Proportion
Surfactants		< Medium
Alkoxy Propanols		< Medium
Dye		< Low
Fragrance		< Low

### HEALTH HAZARD INFORMATION

#### HEALTH EFFECTS - Moderate

**Ingested:** Low toxic. Ingestion of large amounts may lead to central nervous system depression, headache, dizziness and loss of consciousness.

**Eyes:** Moderate Irritant.

**Skin Contact:** Irritant can be absorbed through the skin, harmful effects are unlikely, unless the exposure is prolonged, repeated or extensive. It has a defatting action on skin.

**Inhaled:** Unlikely to present a problem at ambient temperatures. If heated, may irritate upper respiratory tract

**Chronic:** Prolonged or repeated use may cause dermatitis

### FIRST AID

**Swallowed:** If ingested, give glass of water or milk. Do NOT induce vomiting. Seek immediate medical advice, or contact your poisons information centre.

**Eyes:** Immediately irrigate with copious quantities of water for at least 15 minutes. Seek Medical assistance.

**Skin:** Remove contaminated clothing and wash skin thoroughly with water.

**Inhaled:** Remove from source of vapour to fresh air. Seek medical assistance if effects persist.

**ADVICE TO DOCTOR:** Treat symptomatically.

### PRECAUTIONS FOR USE

**Exposure Standards:** LD 50 (oral, rat) > 5ml/kg  
LD 50 (dermal, rabbit) > 10 g/kg  
TLV (TWA skin absorption, inhalation, 8 hours) > 100ppm

**Personal Protection:** Use with adequate ventilation, Avoid all skin & eye contact, safety glasses or goggles recommended. Use Respirator Type (AS 1716) or air wash hood in confined spaces or where there is a significant inhalation risk. Rubber or PVC gloves recommended

**Flammability:** Combustible

### SAFE HANDLING INFORMATION

**Storage & Transportation:** Store in a cool, dry, ventilated place. Away from food stuffs.

Not classified as Dangerous Goods for storage or transportation.

**Spills & Disposal:** Small spills Isolate any leaking containers and transfer contents to alternative suitable containers. Prevent spill from entering drains or waterways. Collect and seal in properly labelled container for disposal. Whatever cannot be saved for recovery should be managed in an appropriate waste facility, State and local regulations disposal regulations may differ from federal disposal regulations.

**Fire/Explosion Hazard:** Combustible, in a major fire, toxic fumes including carbon monoxide may protrude. Fire fighters to wear self-contained breathing apparatus.

Extinguish with water spray, foam carbon dioxide.

### CONTACT POINT

Poisons Information Centre in your capital city.

The information contained herein is to the best of our knowledge correct and complete. It is meant to describe safety requirements of this product and no warranty, express or implied is made as to its fitness for a particular purpose or any other nature as to the product to which it refers.

**Date of Issue:** 1st June, 2015. This MSDS replaces all other issues.

For further information contact :



Phone: +61 422 975 327

Email : [info@slsbinternational.com](mailto:info@slsbinternational.com)

Address: PO Box 265, West Burleigh  
QLD 4219, Australia

[www.slsbinternational.com](http://www.slsbinternational.com)